

# Contents

- Albentosa M → Beiras F  
 Alcaraz M, Saiz E, Estrada M: Excretion of ammonia by zooplankton and its potential contribution to nitrogen requirements for primary production in the Catalan Sea (NW Mediterranean) 69  
 Alexander PS → Chao S-M  
 Ando M → Nagasaki K  
 Avila P → Pierce GJ
- Bachère E → Noël D  
 Beiras R, Pérez Camacho A, Albentosa M: Comparison of the scope for growth with the growth performance of *Ostrea edulis* seed reared at different food concentrations in an open-flow system 227  
 Beninger PG, Dwiono SAP, Le Pennec M: Early development of the gill and implications for feeding in *Pecten maximus* (Bivalvia: Pectinidae) 405  
 Benzie JAH, Sandusky C, Wilkinson CR: Genetic structure of dictyoceratid sponge populations on the western Coral Sea reefs 335  
 Berg GM → Coats DW  
 Besant PJ → Sutton DC  
 Bjerregaard P, Depledge MH: Cadmium accumulation in *Littorina littorea*, *Mytilus edulis* and *Carcinus maenas*: the influence of salinity and calcium ion concentrations 385  
 Black R → Johnson MS  
 Bockstahler KR → Coats DW  
 Borowitzka MA → Hinde R  
 Boyer M → Danovaro R  
 Boyle PR → Pierce GJ  
 Bramich D → Davidson AT  
 Brazeau DA, Harvell CD: Genetic structure of local populations and divergence between growth forms in a clonal invertebrate, the Caribbean octocoral *Briareum asbestinum* 53  
 Brierley AS → Pierce GJ  
 Buttino I: The effect of low concentrations of phenol and ammonia on egg production rates, fecal pellet production and egg viability of the calanoid copepod *Acartia clausi* 629
- Canesi L → Viarengo A  
 Carlton JT → Geller JB  
 Case JF → Moeller JF  
 Caye G → Genot I  
 Chae J, Nishida S: Integumental ultrastructure and color patterns in the iridescent copepods of the family Sapphirinidae (Copepoda: Poecilostomatoida) 205  
 Chanton JP → Lutz RV  
 Chao S-M, Chen C-P, Alexander PS: Reproduction and growth of *Holothuria atra* (Echinodermata: Holothuroidea) at two contrasting sites in southern Taiwan 565  
 Chen B-Y → Chen C-P  
 Chen C-P, Chen B-Y: Diverticulum sand in a miniature sand dollar *Sinaechinocyamus mai* (Echinodermata: Echinoidea) 605
- Chen C-P → Chao S-M  
 Chew SF → Ip YK  
 Chiu T-S, Hsyu Y-H: Interannual variation of ichthyoplankton density and species composition in the waters off northeastern Taiwan 441  
 Coats DW, Bockstahler KR, Berg GM, Sniezek JH: Dinoflagellate infections of *Favella panamensis* from two North American estuaries 105  
 Cooper EL → Sawada T  
 Coustau C → Viard F
- Danovaro R, Fabiano M, Boyer M: Seasonal changes of benthic bacteria in a seagrass bed (*Posidonia oceanica*) of the Ligurian Sea in relation to origin, composition and fate of the sediment organic matter 489  
 Danovaro R → Fabiano M  
 Davidson AT, Bramich D, Marchant HJ, McMinn A: Effects of UV-B irradiation on growth and survival of Antarctic marine diatoms 507  
 Davies PS → Harland AD  
 Delay B → Viard F  
 Depledge MH → Bjerregaard P  
 Derksen JWM → Rijstenbil JW  
 Dineen JF, Hines AH, Jr: Effects of salinity and adult extract on settlement of the oligohaline barnacle *Balanus subalbidus* 423  
 Dizon AE → Rosel PE  
 Duda TF, Jr: Genetic population structure of the recently introduced Asian clam, *Potamocorbula amurensis*, in San Francisco Bay 235  
 Dulčić J → Regner S  
 Duquesne S, Richard A: Isolation and characterization of naturally and artificially induced hepatic metallothioneins from two species of flatfish: *Limanda limanda* and *Microstomus kitt* 461  
 Dwiono SAP → Beninger PG
- El-Bossery AM → El-Shanshoury AR  
 El-Shanshoury AR, Mona MH, Shoukr FA, El-Bossery AM: The enumeration and characterization of bacteria and fungi associated with marine wood-boring isopods, and the ability of these microorganisms to digest cellulose and wood 321  
 Elliot NG, Smolenski AJ, Ward RD: Allozyme and mitochondrial DNA variation in orange roughy, *Hoplostethus atlanticus* (Teleostei: Trachichthyidae): little differentiation between Australian and North Atlantic populations 621  
 Elston R → Noël D  
 Estrada M → Alcaraz M
- Fabiano M, Danovaro R, Olivari E, Mistic C: Decomposition of faecal matter and somatic tissue of *Mytilus galloprovincialis*: changes in organic matter composition and microbial succession 375  
 Fabiano M → Danovaro R  
 Faulkner DJ → Unson MD
- Fogel ML → Paerl HW  
 Fragopoulou N → Kehayias G
- Gallager SM, Waterbury JB, Stoecker DK: Efficient grazing and utilization of the marine cyanobacterium *Synechococcus* sp. by larvae of the bivalve *Mercenaria mercenaria* 251  
 Garcia VMT, Purdie DA: Primary production studies during a *Gyrodinium cf. aureolum* (Dinophyceae) bloom in the western English Channel 297  
 Geller JB, Carlton JT, Powers DA: PCR-based detection of mtDNA haplotypes of native and invading mussels on the northeastern Pacific coast latitudinal pattern of invasion 243  
 Genot I, Caye G, Meinesz A, Orlandini M: Role of chlorophyll and carbohydrate contents in survival of *Posidonia oceanica* cuttings transplanted to different depths 23  
 Gerringa LJA → Rijstenbil JW  
 Gordoa A → Macpherson E  
 Grémare A: What describes fecundity of *Capitella* sp. 1 better: macro- or micro-nutrient availability? 367  
 Guerra A → Pierce GJ  
 Guo M-x → Thompson PA
- Hamner PP → Hamner WM  
 Hamner WM, Hamner PP, Strand SW: Sun-compass migration by *Aurelia aurita* (Scyphozoa): population retention and reproduction in Saanich Inlet, British Columbia 347  
 Hanke W → Segner H  
 Harland AD, Davies PS: Time-course of photoadaptation in the symbiotic sea anemone *Anemonia viridis* 45  
 Harris RP: Zooplankton grazing on the coccolithophore *Emiliania huxleyi* and its role in inorganic carbon flux 431  
 Harrison PJ → Thompson PA  
 Harvell CD → Brazeau DA  
 Hastie LC → Pierce GJ  
 Haywood MDE → Loneragan NR  
 Heyning JE → Rosel PE  
 Hinde R, Pironet F, Borowitzka MA: Isolation of *Oscillatoria spongeliae*, the filamentous cyanobacterial symbiont of the marine sponge *Dysidea herbacea* 99  
 Hines AH, Jr → Dineen JF  
 Holland ND → Unson MD  
 Hsyu Y-H → Chiu T-S
- Imai I → Nagasaki K  
 Ip YK, Peng KW, Chew SF, Lim RWL, Tan GQ: Ammonia production and kinetic properties of glutamate dehydrogenase in the sipunculid *Phascolosoma arcuatum* exposed to anoxia 261  
 Ishida Y → Nagasaki K  
 Ishikawa A, Taniguchi A: The role of cysts on population dynamics of *Scrippsiella* spp. (Dinophyceae) in Onagawa Bay, northeast Japan 39  
 Itakura S → Nagasaki K

- Jaeckle WB: Rates of energy consumption and acquisition by lecithotrophic larvae of *Bugula neritina* (Bryozoa: Cheilosomatoma) 517
- Jamieson R → Pierce GJ
- Johnson MS, Watts RJ, Black R: High levels of genetic subdivision in peripherally isolated populations of the atherinid fish *Craterocephalus capreoli* in the Houtman Abrolhos Islands, Western Australia 179
- Joye SB, Paerl HW: Nitrogen cycling in microbial mats: rates and patterns of denitrification and nitrogen fixation 285
- Kamiyama T: The impact of grazing by microzooplankton in northern Hiroshima Bay, the Seto Inland Sea, Japan 77
- Kehayias G, Fragopoulou N, Lykakis J: Vertical community structure and ontogenetic distribution of chaetognaths in upper pelagic waters of the Eastern Mediterranean 647
- Keller MD → Matrai PA
- Kenyon RA → Loneragan NR
- Kikuchi H → Nakata K
- Kimura S, Tsukamoto K, Sugimoto T: A model for the larval migration of the Japanese eel: roles of the trade winds and salinity front 185
- Kloas W → Segner H
- Lankford TE Jr, Targett TE: Suitability of estuarine nursery zones for juvenile weakfish (*Cynoscion regalis*): effects of temperature and salinity on feeding, growth and survival 611
- Le Pennec M → Beninger PG
- Lenz J → Schneider G
- Lewis RJ → Reed DC
- Licciano M → Stabili L
- Lim RWL → Ip YK
- Lipkin Y → Pereg LL
- Loneragan NR, Kenyon RA, Haywood MDE, Staples DJ: Population dynamics of juvenile tiger prawns (*Penaeus esculentus* and *P. semisulcatus*) in seagrass habitats of the western Gulf of Carpentaria, Australia 133
- Lutz RV, Marcus NH, Chanton JP: Hatching and viability of copepod eggs at two stages of embryological development: anoxic/hypoxic effect 199
- Lykakis J → Kehayias G
- Macpherson E, Gordo A: Effect of prey densities on cannibalism in Cape hake (*Merluccius capensis*) off Namibia 145
- Maitland A → Maitland DP
- Maitland DP, Maitland A: Significance of burrow-opening diameter as a flood-prevention mechanism for air-filled burrows of small intertidal arthropods 221
- Mangold KM → Young RE
- Marchant HJ → Davidson AT
- Marcus NH → Lutz RV
- Matrai PA, Keller MD: Total organic sulfur and dimethylsulfoniopropionate in marine phytoplankton: intracellular variations 61
- Matsui S → Nakaoka M
- Mayer S: Particle capture in the crown of the ciliary suspension feeding polychaete *Sabella penicillus*: videotape recordings and interpretations 571
- McCloskey LR, Muscatine L, Wilkerson FP: Daily photosynthesis respiration and carbon budgets in a tropical marine jellyfish (*Mastigias* sp.) 13
- McMinn A → Davidson AT
- Medina A: Spermiogenesis and sperm structure in the shrimp *Parapenaeus longirostris* (Crustacea: Dendrobranchiata): comparative aspects among decapods 449
- Meinesz A → Genot I
- Mialhe E → Noël D
- Misic C → Fabiano M
- Mizdalski E → Schnack-Schiel SB
- Moeller JF, Case JF: Properties of visual interneurons in a deep-sea mysid, *Gnathophausia ingens* 211
- Mona MH → El-Shanshoury AR
- Moore MN → Viarengo A
- Muscatine L → McCloskey LR
- Nagasaki K, Ando M, Imai I, Itakura S, Ishida Y: Virus-like particles in *Heterosigma akashiwo* (Raphidophyceae): a possible red tide disintegration mechanism 307
- Nakano H → Nakata K
- Nakaoka M, Matsui S: Annual variation in the growth rate of *Yoldia notabilis* (Bivalvia: Nuculanidae) in Otsuchi Bay, northeastern Japan, analyzed using shell microgrowth patterns 397
- Nakata K, Nakano H, Kikuchi H: Relationship between egg productivity and RNA/DNA ratio in *Paracalanus* sp. in the frontal waters of the Kurshio 591
- Nishida S → Chae J
- Noël D, Pipe R, Elston R, Bachère E, Mialhe E: Antigenic characterization of hemocyte subpopulations in the mussel *Mytilus edulis* by means of monoclonal antibodies 549
- Okumus I, Stirling HP: Physiological energetics of cultivated mussel (*Mytilus edulis*) populations in two Scottish west coast sea lochs 125
- Okumus I → Stirling HP
- Olivari E → Fabiano M
- Orlandini M → Genot I
- Orunesu M → Viarengo A
- Paerl HW, Fogel ML: Isotopic characterization of atmospheric nitrogen inputs as sources of enhanced primary production in coastal Atlantic Ocean waters 635
- Paerl HW → Joye SB
- Pagliara P → Stabili L
- Peng KW → Ip YK
- Pereg LL, Lipkin Y, Sar N: Different niches of the *Halophila stipulacea* seagrass bed harbor distinct populations of nitrogen fixing bacteria 327
- Pérez Camacho A → Beiras F
- Pierce GJ, Thorpe RS, Hastie LC, Brierley AS, Guerra A, Boyle PR, Jamieson R, Avila P: Geographic variation in *Loligo forbesi* in the Northeast Atlantic Ocean: analysis of morphometric data and tests of causal hypotheses 541
- Pipe R → Noël D
- Pironet F → Hinde R
- Poortvliet TCW → Rijstenbil JW
- Powers DA → Geller JB
- Purdie DA → Garcia VMT
- Reed DC, Lewis RJ: Effects on an oil and gas-production effluent on the colonization potential of giant kelp (*Macrocystis pyrifera*) zoospores 277
- Regner S, Dulčić J: Growth of sea bass, *Dicentrarchus labrax*, larval and juvenile stages and their otoliths under quasi-steady temperature conditions 169
- Reinecke M → Segner H
- Renaud F → Viard F
- Richard A → Duquesne S
- Rijstenbil JW, Derksen JWM, Gerringa LJA, Poortvliet TCW, Sandee A, van den Berg M, van Drie J, Wijnholds A: Oxidative stress induced by copper: defense and damage in the marine planktonic diatom *Dictyella brightwellii*, grown in continuous cultures with high and low zinc levels 583
- Rolke M → Schneider G
- Rosel PE, Dizon AE, Heyning JE: Genetic analysis of sympatric morphotypes of common dolphins (genus *Delphinus*) 159
- Russo CAM, Solé-Cava AM, Thorpe JP: Population structure and genetic variation in two tropical sea anemones (Cnidaria, Actinidae) with different reproductive strategies 267
- Saiz E → Alcaraz M
- Sandee A → Rijstenbil JW
- Sandusky C → Benzie JAH
- Sar N → Pereg LL
- Sawada T, Zhang J, Cooper EL: Sustained viability and proliferation of hemocytes from the cultured pharynx of *Styela clava* 597
- Schmidt H, Westheide W: Isozymes and general protein patterns as taxonomic markers in the taxon Nephthyidae (Annelida Polychaeta) 31
- Schnack-Schiel SB, Mizdalski E: Seasonal variations in distribution and population structure of *Microcalanus pygmaeus* and *Ctenocalanus citer* (Copepoda: Calanoida) in the eastern Weddell Sea, Antarctica 357
- Schneider G, Lenz J, Rolke M: Zooplankton standing stock and community size structure within the epipelagic zone: a comparison between the central Red Sea and the Gulf of Aden 191
- Segner H, Storch V, Reinecke M, Kloas W, Hanke W: The development of functional digestive and metabolic organs in turbot, *Scophthalmus maximus* 471
- Shoukr FA → El-Shanshoury AR
- Smolenski AJ → Elliot NG
- Snieszek JH → Coats DW
- Solé-Cava AM → Russo CAM
- Stabili L, Licciano M, Pagliara P: Evidence of antibacterial and lysozyme-like activ-

- ity in different planktonic larval stages of *Paracentrotus lividus* 501
- Staples DJ → Loneragan NR
- Stegeman JJ → Vrolijk NH
- Stirling HP, Okumuş I: Growth, mortality and shell morphology of cultivated mussel (*Mytilus edulis*) stocks cross-planted between two Scottish sea lochs 115
- Stirling HP → Okumuş I
- Stoecker DK → Gallagher SM
- Storch V → Segner H
- Strand SW → Hamner WM
- Sugimoto T → Kimura S
- Sutton DC, Besant PJ: Ecology and characteristics of bdellovibrios from three tropical marine habitats 313
- Tan GQ → Ip YK
- Taniguchi A → Ishikawa A
- Targett NM → Vrolijk NH
- Targett TE → Lankford TE Jr
- Thomas FIM: Morphology and orientation of tube extensions on aggregations of the polychaete annelid *Phragmatopoma californica* 525
- Thompson PA, Guo M-x, Harrison PJ: Influence of irradiance on the nutritional value of two phytoplankton species fed to larval Japanese scallops (*Patinoplectan yessoensis*) 89
- Thorpe JP → Russo CAM
- Thorpe RS → Pierce GJ
- Tsakamoto K → Kimura S
- Unson MD, Holland ND, Faulkner DJ: A brominated secondary metabolite synthesized by the cyanobacterial symbiont of a marine sponge and accumulation of the crystalline metabolite in the sponge tissue 1
- van den Berg M → Rijstenbil JW
- van Drie J → Rijstenbil JW
- Viard F, Delay B, Coustau C, Renaud F: Evolution of the genetic structure of bivalve cohorts at hybridization sites of the *Mytilus edulis*-*M. galloprovincialis* complex 535
- Viarengo A, Canesi L, Moore MN, Orunesu M: Effects of  $Hg^{2+}$  and  $Cu^{2+}$  on the cytosolic  $Ca^{2+}$  level in molluscan blood cells evaluated by confocal microscopy and spectrofluorimetry 557
- Vrolijk NH, Targett NM, Woodin BR, Stegeman JJ: Toxicological and ecological implications of biotransformation enzymes in the tropical teleost *Chaetodon capistratus* 151
- Ward RD → Elliot NG
- Waterbury JB → Gallagher SM
- Watts RJ → Johnson MS
- Westheide W → Schmidt H
- Wijnholds A → Rijstenbil JW
- Wilkerson FP → McCloskey LR
- Wilkinson CR → Benzie JAH
- Woodin BR → Vrolijk NH
- Young RE, Mangold KM: Growth and reproduction in the mesopelagic-boundary squid *Abralia trigonura* 413
- Zhang J → Sawada T
- Corrigenda 487, 654
- Indexed in *Current Contents*